

20/568442

IAP20 Rec'd PCT/P10 15 FEB 2006

CLAIMS

1. Use of nanoparticles comprising:

- a metal core containing at least one platinoid
5 or an alloy of a platinoid,
- a first organic coating formed from molecules attached to the surface of the metal core, and
- a second organic coating formed from molecules different from the molecules of the first organic
10 coating, and which are grafted onto molecules of the first organic coating,
as catalysts.

2. Use according to Claim 1, in which the
15 metal core of the nanoparticles consists of platinum, a platinum alloy or a mixture of the two.

3. Use according to Claim 1 or Claim 2, in which the molecules of the first organic coating are
20 residues of compounds comprising at least two chemical functions including a first function for attaching them to the surface of the metal core, and a second function for grafting them with the molecules of the second organic coating.

25

4. Use according to Claim 3, in which the molecules of the second organic coating are residues of compounds comprising at least one chemical function for grafting them to the molecules of the first organic
30 coating.

5. Use according to any one of Claims 1 to
4, in which the molecules of the first organic coating
are capable of degrading at the surface of the metal
core when they are not grafted with molecules of the
5 second organic coating.

6. Use according to Claim 4 or Claim 5, in
which the molecules of the first organic coating are
4-mercptoaniline residues.

10

7. Use according to any one of the
preceding claims, in which, since the nanoparticles are
made by means of a process comprising a reaction for
grafting the compounds intended to form the molecules
15 of the second organic coating onto the molecules of the
first organic coating, the proportion of molecules of
the first organic coating onto which are grafted the
molecules of the second organic coating is less than
100% after this reaction.

20

8. Use according to any one of the
preceding claims, in which the thickness formed by the
two organic coatings does not exceed about 10 nm.

25

9. Use according to any one of the
preceding claims, in which the molecules of the second
organic coating are residues of compounds chosen from
thiophenes comprising at least one function for
grafting them onto the molecules of the first organic
30 coating, and monocyclic and polycyclic anhydrides.

10. Use according to Claim 9, in which the molecules of the second organic coating are residues of compounds chosen from thiophene acid chloride, glutaric anhydride, sulfobenzoic anhydride, diphenic anhydride, 5 tetrafluorophthalic anhydride, tetraphenylphthalic anhydride and diphenylmaleic anhydride.

11. Use according to any one of the preceding claims, in which the nanoparticles are from 10 about 1.5 to 10 nm in diameter and preferably from about 1.5 to 5 nm in diameter.

12. Use according to any one of the claims, in which the nanoparticles are in suspension in a 15 solvent.

13. Use according to Claim 12, in which the nanoparticle suspension has a nanoparticle concentration of from 0.3 to 1 mg/ml.

20

14. Use according to any one of Claims 1 to 11, in which the nanoparticles are in the form of a thin film, deposited onto the surface of a support.

25

15. Use according to Claim 14, in which the support is a carbon nanotube.

30

16. Use according to any one of the preceding claims, in which the nanoparticles are subjected to a pretreatment in basic medium.

17. Use according to Claim 16, in which the pretreatment of the nanoparticles consists in immersing them in a solution of a strong base.

5 18. Use according to any one of the preceding claims, in which the nanoparticles are used as electrocatalysts.

10 19. Use according to Claim 18, in which the nanoparticles are used in a device for producing electrical energy.

20 20. Use according to Claim 19, in which the device for producing electrical energy is a fuel cell.

15 21. Use according to Claim 18, in which the nanoparticles are used in a system for detecting or assaying one or more chemical or biological species, in particular a sensor or a multisensor.

20 22. Device for producing electrical energy, which comprises nanoparticles as defined in any one of Claims 1 to 11.

25 23. Device according to Claim 22, which is a fuel cell.

 24. Nanoparticle comprising:
 - a metal core containing at least one platinoid
30 or an alloy of a platinoid,

- a first organic coating formed from molecules attached to the surface of the metal core, and
- a second organic coating formed from molecules different from the molecules of the first organic
5 coating, and which are grafted onto molecules of the first organic coating,
in which the molecules of the second organic coating are residues of a compound chosen from monocyclic and polycyclic anhydrides.

10

25. Nanoparticle according to Claim 24, in which the molecules forming the second organic coating are residues of a compound chosen from glutaric anhydride, sulfobenzoic anhydride, diphenic anhydride, 15 tetrafluorophthalic anhydride, tetraphenylphthalic anhydride and diphenylmaleic anhydride.

26. Nanoparticle according to Claim 24 or Claim 25, in which the metal core consists of platinum, 20 a platinum alloy or a mixture of the two.

27. Nanoparticle according to any one of Claims 24 to 26, in which the molecules of the first organic coating are 4-mercaptoproaniline residues.

25

28. Nanoparticle according to any one of Claims 24 to 27, which is from about 1.5 to 10 nm in diameter and preferably from about 1.5 to 5 nm in diameter.

30